



## Acer X1328 DLP WXGA Technical Specifications

Product Information	
EAN	4711474020130
Brand	Acer
SKU	10447114
Manu Part #	MR.JX611.003

Projector	
Projector brightness (economic mode)	4000 ANSI lumens
Projector brightness	5000 ANSI lumens
Projection technology	DLP
Horizontal scan range	15 - 100 kHz
Number of colours	1.07 billion colours
Native aspect ratio	16:10

Projection distance	1 - 10 m
Supported aspect ratios	4:3, 16:9
Contrast ratio (typical)	20000:1
Vertical scan range	24 - 120 Hz
Projector native resolution	WXGA (1280x800)
Screen size compatibility	685.8 - 7620 mm (27 - 300")
Uniformity	80
Keystone correction, vertical	-40 - 40

Lens system	
Throw ratio	1.54 - 1.72
Focal length range	21.85 - 24 mm
Zoom capability	Yes
Focus	Manual
Zoom ratio	1.1:1
Zoom type	Manual
Optical zoom	1.1x
Digital zoom	2x
Aperture range (F-F)	2.41 - 2.53
Offset	125

Multimedia	
Number of built-in speakers	1
Built-in speaker(s)	Yes
RMS rated power	3 W

Light source	
Lamp type	OSRAM
Light source type	Lamp
Service life of light source (economic mode)	10000 h
Lamp power	240 W
Lamps quantity	1 lamp(s)
Service life of light source	5000 h

Other features	
Security features	Security Bar
Special features	Acer ColorBoost3D Acer LumiSense Acer BlueLightShield Acer ColorSafe II Automatic Vertical Keystone Correction Eco-Mode
Maximum digital resolution	1920 x 1200 pixels
RS-232 ports	1

Ports & interfaces	
Audio (L/R) in	1
HDMI ports quantity	2
Component video (YPbPr/YCbCr) in	1
HDMI connector type	Full-size
Audio (L/R) out	1
Serial interface type	RS-232
VGA (D-Sub) ports quantity	2
Composite video in	1
USB 20 Type-A ports quantity	2
HDMI version	1.4b
DVI port	No

Design	
Cable lock slot type	Kensington
Placement	Ceiling
Product colour	Black
Market positioning	Business
LED indicators	Light, Power, Temperature

Weight & dimensions	
Height	113.7 mm
Width	313 mm
Depth	240 mm
Weight	2.8 kg

Packaging content	
Cables included	AC, VGA
Packaging content	Lens Cap Security Card
Manual	Yes
Batteries included	Yes
Remote control included	Yes

Logistics data	
Quantity per pack	1 pc(s)

Video	
Analog signal format system	NTSC, PAL, SECAM

Supported graphics resolutions	1920 x 1200 (WUXGA)
Digital signal format system	EDTV, HDTV, SDTV

Network	
Wi-Fi	No

Features	
Noise level (economic mode)	27 dB
HDCP	Yes

Software	
Windows operating systems supported	Yes
Mac compatibility	Yes
Other operating systems supported	ChromeOS

Operational conditions	
Operating temperature (T-T)	0 - 40 C
Operating relative humidity (H-H)	0 - 80

Power	
AC input voltage	100 - 240 V
Power consumption (typical)	275 W
Power consumption (standby)	0.5 W
Power source	AC

Display	
Built-in display	No

## **Product Description**

Experience an ultra-bright 5,000 lumens of brightness and crisp WXGA resolution with the Acer X1328 projector, an easy-to-use device for all your projection needs. 5,000 Lumens Brightness See crystal-clear, vibrant images from a distance in lecture halls, auditoriums or any large venues with up to 5,000 lumens of brightness. Acer ColorBoost3D Reproduce lifelike colors and brilliantly bright images with Acer ColorBoost3D technology. WXGA Resolution With 1280x800 WXGA resolution, project in confidence with sharper, more detailed images and video than you have come to expect from standard projectors. Acer LumiSense Acer LumiSense adjusts the image brightness and color saturation based on the content you're viewing. Acer BlueLightShield Protect your eyes from unnecessary strain by utilizing Acer BlueLightShield technology. Acer ColorSafe II Enjoy consistent, natural colors with ColorSafe II technology, which controls the dynamic RGB levels to prevent color decay. Automatic Vertical Keystone Correction Finding the right angle for your presentation is easier with auto keystone correction, which corrects vertical distortion. Integrated Speakers[1] What you hear will be just as good as what you see with the powerful builtin speakers. Eco-Mode Enjoy power-saving features that extend lamp life, auto-shut down when idle, and reduce noise levels when in Eco mode.

