

AGON
BY AOC

UNLEASH YOUR
POTENTIAL

POWERED BY
25G4SXU



Push the boundaries of competitive gaming with the 25G4SXU 24.5" Full HD monitor, featuring a remarkable 310Hz refresh rate that delivers ultra smooth gameplay, giving you the decisive edge in fast-paced action. Its Fast IPS panel and 1ms GtG response time provide sharp, responsive visuals for split-second reactions. Designed for esports enthusiasts, it boasts AdaptiveSync, low input lag, and an incredible 0.3ms MPRT for pinpoint accuracy.

- **300Hz refresh rate**
- **Fast IPS**
- **1ms MPRT Response Time**
- **Flicker Free**
- **USB Hub**
- **Height adjustable Stand**

300HZ REFRESH RATE

Goodbye screen tearing, hello flawless and smooth gameplay! With a rapid refresh rate of 300Hz your monitor is guaranteed to update your visuals an incredible 300 times per second. This means that you will get the freshest in-game information faster than your opponents, giving you the upper hand.



FAST IPS

Unlock your gaming potential with Fast IPS panels offering rapid pixel response times of up to 1ms GtG. Say farewell to motion blur as you enjoy sharper images, enhancing precision targeting and boosting performance in high-speed games. Experience the advantages of fast IPS technology, including vibrant colors and wide viewing angles, for an immersive gaming experience and unleash your full potential.

1MS MPRT RESPONSE TIME

The AOC monitor with 1ms MPRT Response reduces significantly the motion blur, making fast-paced action look crisp and clear, providing an edge in reaction-sensitive games. More than speed, the AOC monitor with a 1ms MPRT is a seamless, fluid motion that immerses you in the virtual world. Whether navigating through a fast-paced racing game or engaged in a high-stakes battle, every millisecond counts.



USB HUB

Built-in USB hubs in AOC's monitors bring ease of use and practicality to your desk. Side mounted ports are easily reachable without even looking at them; negating time wasted searching the backside of a PC case to find a free USB port.



FLICKER FREE

AOC Flicker-Free Technology utilises a DC (Direct Current) backlight panel, reducing flickering light levels. With eye strain and fatigue absolutely minimized, feel free to enjoy those long, intense gaming sessions in comfort!



HEIGHT ADJUSTABLE STAND

Raise or lower the screen to suit each individual's height and seating preferences. The easy-to-adjust stand ensures hours of comfort.

| GENERAL | | VIDEO FEATURES | | ERGONOMICS | |
|-----------------------|--------------------------|-------------------------------------|-----------------------------------|------------------------------|--|
| Model Name | 25G4SXU | Sync technology (VRR) | Adaptive Sync | Tilt | -3.5° ±1.5° ~ 21.5° ±1.5° |
| Brand | AOC | NVIDIA G-SYNC™ | NVIDIA G-SYNC Compatible | Height adjust (mm) | 130mm |
| Channel | Gaming | Digital Signal Frequency Vertical | HDMI: 48~240Hz / DP: 48~310Hz | Swivel | 30° ±2° ~30° ±2° |
| Product line | AOC Gaming | Digital Signal Frequency Horizontal | HDMI: 30k~280kHz / DP: 30k~350kHz | Pivot | 90° +1° ~ 90° -1° |
| Design family | G4 | HDR (High Dynamic Range) | VESA Certified DisplayHDR™ 400 | GAMING FEATURES | |
| EAN | 4038986182577 | Blue Light Technology | Low Blue Light | | |
| DISPLAY INFORMATION | | Colour space (sRGB) CIE 1931 % | 115,3 | Gaming style | Shooters, MMORPG, eSports, RTS, FPS (eSports), Beat'm up |
| Screen size (inch) | 24,5 | Colour space (DCI-P3) CIE 1976 % | 90,6 | Game mode | RTS, FPS, Racing, Gamer 1, Gamer 2, Off |
| Screen size (cm) | 62,2 | Colour space (Adobe RGB) CIE 1976 % | 90,1 | Gaming convenience | G-menu |
| Flat / Curved | Flat | Flicker-Free | Flicker Free | PS5 Compatibility | 1920x1080@120Hz |
| Panel treatment | Antiglare (AG) | CABINET INFORMATION | | Xbox X Compatibility | 1920x1080@120Hz |
| Pixel Pitch (mm) | 0,2832 | Bezel Colour (front) | Black | Xbox S Compatibility | 1920x1080@120Hz |
| Pixels per Inch | 89,9 | Cabinet colour (backside) | Black, Grey | SUSTAINABILITY | |
| Panel resolution | 1920x1080 | Cabinet finishing (backside) | Matt | TCO Certified | No |
| Aspect ratio | 16:9 | Removable stand | Yes | WEEE | Yes |
| Panel type | Fast IPS | Kensington Lock | Yes | REACH compliant | Yes |
| Backlight type | WLED | Vesa wallmount | 100x100 | RoHs compliant | Yes |
| Max Refresh rate | 310Hz (OC, 300Hz native) | | | PVC/BFR free housing | Yes |
| Response time GtG | 1 ms | | | Mercury free | Yes |
| Response time MPRT | 0.3 ms | | | Recycable packaging material | 100 % recycable |
| Static contrast ratio | 1000:1 | | | Carton material | Paper |
| Viewing angle (CR10) | 178/178 | | | | |
| Display colours | 16.7 Million | | | | |
| Brightness in nits | 400 cd/m2 | | | | |

POWER CONSUMPTION

| | |
|--------------|----------|
| Power supply | Internal |
|--------------|----------|

| | |
|---|------|
| Power consumption on (typical) in watts | 30,0 |
|---|------|

| | |
|------------------------------------|-----|
| Power consumption standby in watts | 0,5 |
|------------------------------------|-----|

| | |
|--------------------------------|-----|
| Power consumption off in watts | 0,3 |
|--------------------------------|-----|

| | |
|--------------|---|
| Energy class | E |
|--------------|---|

CONNECTIVITY INFORMATION

| | |
|------|--------------|
| HDMI | HDMI 2.0 x 2 |
|------|--------------|

| | |
|-------------|---------------------|
| DisplayPort | DisplayPort 1.4 x 1 |
|-------------|---------------------|

| | |
|---------|-----|
| USB Hub | Yes |
|---------|-----|

| | |
|---------------------|---|
| USB type downstream | 4 |
|---------------------|---|

| | |
|----------------------|-----|
| USB fast charge port | Yes |
|----------------------|-----|

| | |
|--------------|-----------------------|
| Audio Output | Headphone out (3.5mm) |
|--------------|-----------------------|

| | |
|-------------------|-----------------------------------|
| USB Type upstream | 1 x USB3.2 type B Gen 1, 5 Gbit/s |
|-------------------|-----------------------------------|

| | |
|----------------|-----------------|
| USB generation | USB 3.2 (Gen 1) |
|----------------|-----------------|

PRODUCT DIMENSIONS

| | |
|--|-------------------------------|
| Product dimensions incl. base (WxHxD) mm | 560.1 x (380.6~498.5) x 207.6 |
|--|-------------------------------|

| | |
|--|----------------------|
| Product dimensions excl. base (WxHxD) mm | 560.1 x 324.8 x 52.1 |
|--|----------------------|

| | |
|---------------------------------|-----------------|
| Packaging dimensions (WxHxD) mm | 690 x 420 x 139 |
|---------------------------------|-----------------|

| | |
|------------------------------------|------|
| Gross weight incl. package (in kg) | 7,45 |
|------------------------------------|------|

| | |
|----------------------------------|------|
| Net weight excl. package (in kg) | 4,71 |
|----------------------------------|------|

| | |
|----------------------------|-----|
| Product without stand (kg) | 2,9 |
|----------------------------|-----|

WHAT'S IN THE BOX

| | |
|------------|-----|
| HDMI cable | 1.8 |
|------------|-----|

| | |
|-------------------|-----|
| Displayport cable | 1.8 |
|-------------------|-----|

| | |
|----------------------|--------------------|
| USB-B upstream cable | 1x USB-B to A 1.8m |
|----------------------|--------------------|

| | |
|-------------|-----|
| Power Cable | Yes |
|-------------|-----|

OTHER INFORMATION

| | |
|-----------------|---------|
| Warranty period | 3 years |
|-----------------|---------|