

# Product datasheet

Specifications



Protocol translation to UPS-Link, Management Options, Legacy Communications SmartSlot Card, UPS support for UPSLink protocol serial communications

AP9620

## Overview

|              |                                                                                                     |
|--------------|-----------------------------------------------------------------------------------------------------|
| Presentation | UPS management SmartSlot Card which supports the UPSLink protocol for SMT, SMX and SURTD Smart-UPS. |
| Lead time    | Usually in Stock                                                                                    |

## Main

|                           |                                           |
|---------------------------|-------------------------------------------|
| Product or component type | Communication card                        |
| Provided equipment        | RS-232 configuration cable<br>User manual |
| Range of product          | Management Options and Cables             |

## Physical

|                     |                    |
|---------------------|--------------------|
| Colour              | Black              |
| Height              | 3.8 cm             |
| Width               | 12.1 cm            |
| Depth               | 11.4 cm            |
| Net weight          | 0.08 kg            |
| Mounting preference | No preference      |
| Mounting mode       | Not rack-mountable |

## Conformance

|                        |         |
|------------------------|---------|
| Product certifications | UK PSTI |
|------------------------|---------|

## Environmental

|                                       |              |
|---------------------------------------|--------------|
| Ambient air temperature for operation | 0...45 °C    |
| Relative humidity                     | 0...95 %     |
| Operating altitude                    | 0...10000 ft |
| Ambient air temperature for storage   | -5...45 °C   |
| Storage Relative Humidity             | 0...95 %     |
| Storage altitude                      | 0...15240 m  |

## Packing Units

|                        |     |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                |
|------------------------------|----------------|
| Number of Units in Package 1 | 1              |
| Package 1 Height             | 5.1 cm         |
| Package 1 Width              | 23.5 cm        |
| Package 1 Length             | 15.9 cm        |
| Package 1 Weight             | 0.339 kg       |
| SCC14                        | 10731304283215 |

## Logistical informations

|                   |    |
|-------------------|----|
| Country of origin | IN |
|-------------------|----|

## Contractual warranty

|          |                           |
|----------|---------------------------|
| Warranty | 2 years repair or replace |
|----------|---------------------------|

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

|  Environmental footprint |                                               |
|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                                                                          | 110                                           |
| Environmental Disclosure                                                                                  | <a href="#">Product Environmental Profile</a> |

Use Better

|  Materials and Substances |                                           |
|------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| Packaging made with recycled cardboard                                                                     | No                                        |
| Packaging without single use plastic                                                                       | No                                        |
| <a href="#">EU RoHS Directive</a>                                                                          | Compliant                                 |
| SCIP Number                                                                                                | 1cdb2fed-a06f-4574-913d-8df8e70936b2      |
| REACH Regulation                                                                                           | <a href="#">REACH Declaration</a>         |
| Halogen-free status                                                                                        | Product contains halogen above thresholds |

|  Energy efficiency |                          |
|-------------------------------------------------------------------------------------------------------|--------------------------|
| Energy Efficiency Optimized                                                                           | Energy efficient product |

Use Again

|  Repack and remanufacture |                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| End of life manual availability                                                                              | <a href="#">End of Life Information</a>                                                                                                                                                                         |
| Take-back                                                                                                    | No                                                                                                                                                                                                              |
| WEEE Label                                                                                                   |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |