

ALL-IN-ONE SERIES

10.1" to 27" available for Windows and Android.

Available in sizes 10.1" to 27" and supporting both Android and Widows OS, our All-in-One Series offers smooth and effortless performance in a wide variety of applications. With the power to run operating systems from Windows 7 to Windows 10, the All-in-One series is optimized for versatility.

Solutions:



Fitness

Cycling/rowing fitness equipment, Point-of-information and Self check-in/check-out



Hospitality

Self check-in/checkout, Self-service ticketing, Point-of-information



Healthcare

Medical/diagnostic carts, Nursing station,Clinical review



Retail

Self service, Self checkout, Point-of-information, Point-of-sale





M1-101RT-A1 android

Size	10.1" TFT LCD
Processor	MediaTek Genio 700 (MT8390)
OS	Android 14 GMS
Maximum Resolution	1920 x 1200
Brightness	500 nits
View Angle	H: 170°, V: 170°
Warranty	3 Year

See Full Specs





M1-215KD-AA3 android

Size	21.5" TFT LCD
Processor	MediaTek Genio 700 (MT8390)
OS	Android 13GMS
Connectivity	Wi-Fi, Bluetooth
Maximum Resolution	1920 x 1080
Contrast Ratio	1000:1
Aspect Ratio	16:9
Brightness	350 nits
Power	12v DC, POE (60W/90W), USB-C PD
USB Ports	USB Ports: 2 x USB-C (USB 3.0,
	PD 5V/12V@3A, DP-Alt mode)
	1 x USB-A (USB 3.0)
Warrantv	3 Year

See Full Specs

MACH



M1-101IC-AA3 android 📥

Size	10.1" TFT LCD
Processor	MediaTek Genio 700 (MT8390)
OS	Android 13 GMS
Maximum Resolution	1280 x 800
Contrast Ratio	900:1
Aspect Ratio	16:10
Brightness	400 nits (No Touch), 360 nits (PCAP)
View Angle	H: 170°, V: 170°
Warranty	3 year



M1-156IC android

Size	15.6" TFT LCD
Processor	MediaTek Genio 700 (MT8390)
OS	Android 13 GMS
Connectivity	Wi-Fi, Bluetooth, Optional 4G LTE
Maximum Resolution	1920 x 1080
Contrast Ratio	1000:1
Aspect Ratio	16:9
Brightness	450 nits (No Touch), 400 nits (PCAP)
Power	12v DC, POE (60W/90W), USB-C PD
USB Ports	1 x USB-A 3.0, 1 x USB-C (PD in 12V@5A+USB 2.0), 1 x USB-C (PD out 12V@3A+USB 2.0), 4 x USB-C (Peripheral Connection)
Warranty	3 year

See Full Specs



M1-215IC android

Size	21.5" TFT LCD
Processor	MediaTek Genio 700 (MT8390)
OS	Android 13 GMS
Connectivity	Wi-Fi, Bluetooth, Optional 4G LTE
Maximum Resolution	1920 x 1080
Contrast Ratio	1000:1
Aspect Ratio	16:9
Brightness	350 nits (No Touch), 315 nits (PCAP)
Power	12v DC, POE (60W/90W), USB-C PD
USB Ports	1 x USB-A 3.0, 1 x USB-C
	(PD in 12V@5A+USB 2.0), 1 x USB-C
	(PD out 12V@3A+USB 2.0), 4 x USB-C
	(Peripheral Connection)
Warranty	3 year



M1-270IC android

Size	27" TFT LCD
Processor	MediaTek Genio 700 (MT8390)
OS	Android 13 GMS
Connectivity	Wi-Fi, Bluetooth
Maximum Resolution	1920 x 1080
Contrast Ratio	1000:1
Aspect Ratio	16:9
Brightness	500 nits (No Touch), 450 nits (PCAP)
Power	12v DC, (60W/90W), USB-C PD
USB Ports	1 x USB-A 3.0, 1 x USB-C
	(PD in 12V@5A+USB 2.0), 1 x USB-C
	(PD out 12V@3A+USB 2.0), 4 x USB-C
	(Peripheral Connection)

See Full Specs



M1-156IC-W11-IC-A2 Windows

Size	15.6" TFT LCD
Processor	Celeron 7305E 1.10GHz 5 core Gen 12
OS	Windows 11 IoT LTSC, ChromeOS Flex
Maximum Resolution	1920 x 1080
Contrast Ratio	1000:1
Aspect Ratio	16:9
Brightness	450 nits (No Touch), 400 nits (PCAP)
View Angle	H:178°, V:178°
Video Port	1 x HDMI (up to 1920 x 1080 @60Hz), 1 x USB-C (Alt mode + PD out 12V@ 3A+USB 2.0)
Warranty	3 year

See Full Specs



M1-215IC-W11-IC-A2 Windows

Size	21.5" TFT LCD
Processor	Celeron 7305E 1.10GHz 5 core Gen 12
OS	Windows 11 IoT LTSC, ChromeOS Flex
Maximum Resolution	1920 x 1080
Contrast Ratio	1000:1
Aspect Ratio	16:9
Brightness	350 nits (No Touch), 315 nits (PCAP)
View Angle	H:178°, V:178°
USB Ports	1 x HDMI (up to 1920 x 1080 @60Hz), 1 x USB-C (Alt mode + PD out 12V@ 3A+USB 2.0)
Warranty	3 year



M1-156IC-W11-I3-A2 Windows

Size	15.6" TFT LCD
Processor	i3-1215UE 3.3GHz 6 core Gen 12
OS	Windows 11 IoT LTSC
Maximum Resolution	1920 x 1080
Contrast Ratio	1000:1
Aspect Ratio	16:9
Brightness	450 nits (No Touch), 400 nits (PCAP)
View Angle	H:178°, V:178°
Video Port	1 х HDMI (up to 1920 x 1080 @60Hz),
	1 x USB-C (Alt mode + PD out 12V@
	3A+USB 2.0)
Warranty	3 year

See Full Specs



M1-156IC-W11-I5-A2 Windows

Size	15.6" TFT LCD
Processor	i5-1245UE 3.3GHz 10 core Gen 12
OS	Windows 11 IoT LTSC
Maximum Resolution	1920 x 1080
Contrast Ratio	1000:1
Aspect Ratio	16:9
Brightness	450 nits (No Touch), 400 nits (PCAP)
View Angle	H:178°, V:178°
Video Port	1 x HDMI (up to 1920 x 1080 @60Hz),
	1 x USB-C (Alt mode + PD out 12V@
	3A+USB 2.0)
Warranty	3 year

See Full Specs



M1-215IC-W11-I3-A2 Windows

Size	21.5" TFT LCD
Processor	i3-1215UE 3.3GHz 6 core Gen 12
OS	Windows 11 IoT LTSC
Maximum Resolution	1920 x 1080
Contrast Ratio	1000:1
Aspect Ratio	16:9
Brightness	350 nits (No Touch), 315 nits (PCAP)
View Angle	H: 178°, V: 178°
Video Port	1 x HDMI (up to 1920 x 1080 @60Hz), 1 x USB-C (Alt mode + PD out 12V@ 3A+USB 2.0)
Warranty	3 year



M1-215IC-W11-I5-A2 Windows

Size	21.5" TFT LCD
Processor	i5-1245UE 3.3GHz 10 core Gen 12
OS	Windows 11 IoT LTSC
Maximum Resolution	1920 x 1080
Contrast Ratio	1000:1
Aspect Ratio	16:9
Brightness	350 nits (No Touch), 315 nits (PCAP)
View Angle	H:178°, V:178°
Video Port	1 x HDMI (up to 1920 x 1080 @60Hz),
	1 x USB-C (Alt mode + PD out 12V@
	3A+USB 2.0)
Warranty	3 year

See Full Specs



M1-MP-AA2	android 🗻
Processor	MediaTek Genio 700 (MT8390)
OS	Android 13 GMS
Memory	8GB
Connectivity	Wi-Fi/Bluetooth
Warranty	3 year

