HANNspree

Experts in **Display**

HT240CUA

60.4 cm / 23.8“ Diagonal
LED Backlight – Format 16:9

- 23.8" Touch Monitor LED Backlight
- 1920 x1080 @ 100Hz Full HD Resolution
- 10 Points P-Cap Touch
- Optical Bonding / Full Lamination
- MPP2.0 Support (Microsoft Pen Protocol)
- Anti-Glare Panel Surface
- Edge to Edge Glass Design
- 178° / 178° Ultra Wide Viewing Angle
- HDMI + DP + VGA Inputs
- USB Type-C input (signal and touch)
- USB 3.0 HUB
- Built-In Stereo Speakers
- Wall-Mountable (VESA)
- Smart adjustable book-stand
- Tilt Angle:15°~70°





60.4 cm / 23.8“

Part No.: HT240CUA

23.8" 23.8” 16:9 Aspect Ratio	VGA HDMI DP	178° 178° Ultra-Wide Viewing Angle	10 POINT TOUCH 10 Point Touch	MPP 2.0 MPP2.0 Support
1920 x 1080 FULL HD Full HD 1920 x 1080	USB Type C Type-C	VESA VESA Wall-Mountable	Anti-Glare Anti Glare	Optical Bonding Optical Bonding

Display Solutions

Technical Specifications >>>

HANNspree

Experts in Display

Display Size	60.4 cm / 23.8“ Diagonal
Panel Type	TFT – LED Backlight, VA Panel (*)
Aspect Ratio	16:9
Resolution (H x V)	1920 x 1080 Full HD
Brightness (Typical)	270 cd/m² (Monitor) with touch
Contrast	4.000:1 (Typical); 10.000.000:1 (Active)
Viewing Angle L/R; U/D	178° H – 178° V (CR >10)
Response Time	6 msec (with OD)
Pixel Pitch	0.2745 (H) x 0.2745 (V) mm
Touch Type	Projected Capacitive Type – 10 Point Touch Optical Bonding (Full Lamination)
Panel Surface	Glossiness: 60±20%; Roughness: <0.25un
Glass Hardness / Thickness	7H Toughened glass panel surface / 1.1±0.05 mm
Touch Interface	USB-B; Type-C. Support MPP2.0 (Microsoft Pen Protocoll)
Supported operating systems	Windows; Linux; Android; Mac OS (Single Touch point, driver installation may be required **)
Display Colors	16.7M Colors
Frequency	Horizontal : 30~120 kHz (HDMI/DP/Type-C); 30~83 kHz (VGA) Vertical : 48~100Hz (HDMI/DP/Type-C); 56~75 Hz (VGA)
Max Display Frequency	1920 x 1080 @ 100Hz (HDMI/DP/Type-C); 60Hz (VGA)
Input 1, 2, 3	HDMI (Ver. 1.4); Display Port (Ver. 1.2); D-Sub (VGA)
Input 4	Type C (for Signal and Touch. Without Power Delivery, output voltage 5V 0.6A)
Input 5	PC Audio line in
USB HUB	USB 3.0: USB-B x 1; USB-A x 2
Built-in Speakers	Yes, 2W x 2; Earphone jack
Power Consumption	On: 13W; Stand-by: 0.26W; Off: 0.18W
Power Supply	External Power Supply: DC 12 Volt / 3A Input: AC 100 ~ 240 Volt; 50 ~ 60 Hz
Net / Gross Weight	4.07 Kg / 5.63 Kg

Product Dimensions	549.8 x 49.2 x 333.2 mm (W x D x H)
Packing Dimensions	647 x 138 x 426 mm (W x D x H)
VESA Mounting	100 x 100 mm
Monitor Stand	Smart Adjustable Stand (“book“ type)
Tilt / Kensington Lock	15° ~ 70° / Yes
Controls	Menu / ▲ (Bri) / ▼ (Vol) /Return(Input) / Power
Color	Warm, Natural, Cool, User Mode
Preset Mode	Standard,Text, Game, Movie Mode
On Screen Display	10 OSD Languages
Accessory	Power Supply; Power Cable (1.5m); HDMI Cable (1.5m); USB A-B Cable (1.8m); Warranty Card; Quick Start Guide
Orientation	Landscape, Portrait

Supplier‘s Name	HANNspree
Model Name	HT240CUA
Energy efficiency class for standard Dynamic Range (SDR)	D
Annual Energy Power Consumption (kWh/1000h)	13 kWh/1000h
On mode power demand for Standard Dynamic Range (SDR)	13 W
Off mode power demand (W)	0.3 W
Standby mode power demand (W)	0.5W
Screen Diagonal (cm / inches)	60.4 cm / 23.8“
Resolution	1920 x 1080

PART NO.:	EAN CODE
HT240CUA	4711404024719


* “VA" word mark / trademark and related patents on technologies belong to their respective owners.


** For more details contact your local HANNspree office / representative or send us a request via the product enquiry form on the website.

Display Solutions

HANNspree

Experts in Display





© HANNSpree Europe Holdings B.V. Specifications and design as well as accessories are subject to change without notice. Screen shots are simulated. Actual products may differ slightly from those illustrated on this promotion material. Please refer to actual samples for final selection. The products displayed on this promotion material may not be available for purchase in your particular country or locality. Please check with your local HANNspree authorized representatives for the availability of specific products in your area. All brand, product, Service names and logos are trademarks and/or registered trademarks of their respective manufactures and Companies.

Display Solutions





USB-B; USB-A x 2; Type-C; DP; HDMI; VGA; Audio Line-In; Earphone jack; DC jack