
Key Features

- NFC and SSO sign-in for swift access to the intuitive launcher and personal settings
- Quick-start annotation, sketching, and four-color switching with the stylus
- Octa-core CPU with 8GB RAM and 8GB virtual memory for smooth multitasking
- Four USB-C ports ensure seamless connectivity, supporting up to 100W charging
- Android 14 with integrated ViewSonic Education Software



Product **Description**

Discover the future of interactive learning with the dynamic ViewBoard® IFP53 Series. Enhancing convenience, its SSO and NFC card sign-in functions provide quick access to personalized launchers and cloud storage. With quick-start annotation and the ability to rapidly switch between four colors, you can capture thoughts the moment inspiration strikes. Equipped with Android 14, it features a powerful high-performance octa-core processor complemented by 8GB RAM and 8GB virtual memory, ensuring seamless connectivity and uninterrupted productivity. The integrated ViewSonic Education Software completes the experience, fostering collaboration and engagement in classrooms with interactive digital tools designed to maximize students' potential.



Visit Us www.viewsonic.com



5 14:18	ViewSonic ViewBoard IFP7553 ViewBo	
DISPLAY		
Panel Size:	75"	
Panel Type:	TFT LCD Module with DLED Backlight	
Display Area (mm):	1650.24 (H) x 928.26 (V) (74.5" diagonal)	
Aspect Ratio:	16:9	
Resolution:	UHD 3840x2160(Pixels)	
Colors:	1.07B colors	
Brightness:	450 nits (typ)	
Contrast Ratio:	5500:1(Typ.) 5000:1(Min. with DCR enabled)	
Response Time:	6.5 ms	
Viewing Angles:	H = 178, V = 178 typ.	
Backlight Life:	50,000 hrs (typ).	
Surface Treatment:	Hardness: 7H. Anti-glare coating	
Orientation:	Landscape	
PLATFORM	O-4- O ODII (A79*4 + AF9*4)	
Processor: RAM:	Octa-Core CPU (A73*4 + A53*4)	
Storage:	8GB (Physical RAM) + 8GB (Virtual Ram) * 128GB	
TOUCH	12000	
Type/ Tech:	UFT (Ultra Fine Touch) Technology	
Touch Resolution:	32767 x 32767	
Touch Point:	Windows: 40 points touch, Android: 20 points touch	
INPUT		
HDMI:	x4 (Frontx1:HDMI2.1 with CEC; Rearx3:(HDMI2.1 with CEC)x2 & (HDMI2.1 with CEC,ARC)x1	
RGB / VGA:	x1	
DisplayPort:	x1	
Audio:	x1 (PC audio in)	
RS232:	x1	
OPS:	module slot x 1	
OUTPUT		
HDMI:	x1	
Audio:	x1 (Earphone out)	
SPDIF:	x1	
LAN		
RJ45:	x2	
USB	N0000 0 4/5 1 0 0 0 0	
Type A:	USB3.0x4 (Frontx2; Rearx2) USB2.0x1 (Rear)	
Type B:	USB 3.0x3(Frontx1; Rearx2)	
	Input:x3 (Frontx1 with USB3.0, DP1.2, Ethernet 100M, PD 100W; Rearx1 with USB3.0, DP1.2, Ethernet 100M, PD	
Type C:	65W; Rearx1 with USB3.0, PD 15W) Output:x1, DP	
SPEAKERS	Output.x1, Di	
16W x 2 front soundbar + 20W x 1	subwoofer	
MICROPHONE		
built-in 8-array microphone		
TOP CAMERA PLATE		
Yes		
EMBEDDED OS		
Android 14		
BUNDLE SOFTWARE		
Basic Annotation Software:	myViewBoard for Android	
Pro Annotation Software:	myViewBoard for Windows (embedded in VPC)	
Wireless Presentation:	Display, vCast, AirSync*	
	*myViewBoard Display will be replaced by AirSync in Q1 2025.	
Device Management:	Manager	
ViewSonic Launcher:	Yes	
SPECIAL FEATURES		
All-in-one USB port:	USB 3.0 "SmartPort USB" to all channels.	
Simple LAN sharing between IFP and slot-in device:	10/100/1000M (USB Type-C 10/100, Android & PC 10/100/1000)	
Light Sensor:	Yes	
NFC Reader:	Yes	
Pen Sensor:	Yes	
POWER		
Voltage:	100-240VAC +/- 10% Wide Range	
Consumption:	On:101.77W / Off: <0.5W	
ERGONOMICS		
Wall Mount (VESA®):	800 x 400	

OPERATING CONDITIONS

Temperature (° C):	0°C to 40°C
Humidity:	20% ~ 80% RH non-condensing

67.21 x 41.7 x 4.66 in / 1707 x 1059.2 x 118.4 mm

74.8 x 45.67 x 8.46 in / 1900 x 1160 x 225 mm

DIMENSIONS (W X H X D)

Physical (inch / mm):

Packaging (inch / mm):

WEIGHT		
Net (lb / kg):	113.98 lb / 51.7 kg	
Gross (lb / kg):	140.87 lb / 63.9 kg	

REGULATIONS

DOE EPEAT, DOE Energy Star, CE EMC, LVD or CB, RoHS Green BOM & RoHS DoC, EPP (2009/125/EC), REACH SVHC List & DoC, EEL, , WEEE, BSMI, Green Mark

PACKAGE CONTENTS

- 1. 3m power cord by ship area
- 2. Type C cable 1.8m(USB-IF certified)
- 3. Remote control with AAA battery

(new VS remote control)

- 4. 3m touch USB cable(USB 2.0)
- 5. Touch pen x 2 (VB-PEN-002)
- 6. Quick Start Guide
- 7. RS232 adapter
- 8. Clamp x 5
- 9. Camera Plate
- 10. Screw x 8 (camera 2+2, wall mount 4)
- 11. HDMI cable 3m(HDMI LA certified)
- 12. AAA Battery x 2
- 13. Compliance statement

COMPATIBLE SLOT-IN PC

VPCF5-W33-G1 VPC37-W53-G1 VPC35-W53-G1 VPC-A31-O1

NOTE

*Disclaimer for Virtual RAM Usage:
This device's Virtual RAM uses part of the internal storage to potentially enhance performance. It's not a substitute for physical RAM and might impact storage availability and device longevity. Users should assess their needs before enabling this feature. Note that performance outcomes can vary based on application use and device conditions. The manufacturer may modify or discontinue this feature at any time without notice.

