DELL Pro Plus P3225DE computer monitor 80 cm (31.5") 2560 x 1440 pixels Wide Quad HD LCD Black, Grey

Brand : DELL **Product family:** Pro Plus **Product code:** DELL-P3225DE

Product name : P3225DE

- 80.0cm (31.5") Wide Quad HD 2560 x 1440 Edge LED IPS
- 8ms, 16:9, 350cd/m², 1500:1
- USB, HDMI, DisplayPort
80.0cm (31.5") Wide Quad HD 2560 x 1440 Edge LED IPS, 16:9, 350cd/m², 1.07B, 8ms, 178°/178°, 1500:1

DELL Pro Plus P3225DE computer monitor 80 cm (31.5") 2560 x 1440 pixels Wide Quad HD LCD Black, Grey:

Stay productive with this 31.5-inch QHD monitor featuring extensive connectivity, and certified by TÜV for 4 star eye comfort.
DELL Pro Plus P3225DE. Display diagonal: 80 cm (31.5"), Display resolution: 2560 x 1440 pixels, HD type: Wide Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black, Grey

Display

Display diagonal *	80 cm (31.5")
Display resolution *	2560 x 1440 pixels
HD type *	Wide Quad HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	IPS
LED backlight	✔
Backlight type	Edge LED
Touchscreen *	✘
Display brightness (typical)	350 cd/m²
Response time *	8 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 1200, 1920 x 1080 (HD 1080), 2560 x 1440
Supported video modes	480p, 576p, 720p, 1080p
Contrast ratio (typical) *	1500:1
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.07 billion colours
Response time (fast)	5 ms
Pixel pitch	0.2727 x 0.2727 mm
Pixel density	93 ppi
Horizontal scan range	30 - 151 kHz
Vertical scan range	48 - 100 Hz
Viewable size, horizontal	69.8 cm
Viewable size, vertical	39.3 cm
Viewable size diagonal	80.1 cm

Ergonomics

Pivot	✔
Pivot angle	-90 - 90°
Swivelling	✔
Swivel angle range	-30 - 30°
Tilt adjustment	✔
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✔
Plug and Play	✔
LED indicators	✔

Power

Energy efficiency class (SDR) *	E
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	23 kWh
Power consumption (typical) *	23.1 W
Power consumption (standby) *	0.4 W
Power consumption (max)	192 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	2.8 A
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	0 - 12192 m

Display

Surface hardness	3H
sRGB coverage (typical)	99%
Dell ComfortView technology	✔
Heat dissipation (typical)	78.8 BTU/h

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Flicker-free technology	✔
Low Blue Light technology	✔
Windows operating systems supported	Windows 10
Mac operating systems supported	✔

Multimedia

Built-in speaker(s) *	✘
Built-in camera *	✘

Design

Product colour *	Black, Grey
Front bezel colour	Black
Feet colour	Grey

Ports & interfaces

Built-in USB hub *	✔
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	✔
USB Power Delivery (USB PD)	✔
USB Power Delivery up to	90 W
HDMI *	✔
HDMI ports quantity	1
DisplayPorts quantity	2
DisplayPort version	1.4
Headphone out *	✘
HDCP	✔
HDCP version	1.4

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable management	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Adjustable height (max)	15 cm

Weight & dimensions

Width (with stand)	713.4 mm
Depth (with stand)	215 mm
Height (with stand)	619 mm
Weight (with stand)	9.14 kg
Width (without stand)	713.4 mm
Depth (without stand)	50 mm
Height (without stand)	413.1 mm
Weight (without stand)	6.63 kg
Bezel width (side)	7.64 mm
Bezel width (top)	7.45 mm
Bezel width (bottom)	1.3 cm

Packaging data

Package weight	12.9 kg

Packaging content

Stand included	✔
Cables included	DisplayPort, USB Type-A to USB Type-C, USB Type-C
DisplayPort cable length	1.8 m

Sustainability

Sustainability certificates	ENERGY STAR, EPEAT Climate +, EPEAT Gold, TCO
Doesn't contain	Arsenic, Mercury, PVC/BFR

Carbon footprint

Total carbon footprint (kg of CO2e)	297
Carbon emissions, manufacturing (kg of CO2e)	130.977
Carbon emissions, logistics (kg of CO2e)	24.354
Carbon emissions, energy usage (kg of CO2e)	113.157
Carbon emissions, end-of-life (kg of CO2e)	28.512
Total carbon emissions, w/o use phase (kg of CO2e)	183.843
PAIA version	GaBi version 1, 2024

Other features

Compliance certificates	RoHS
Ethernet LAN data rates	1000 Mbit/s
Ethernet LAN (RJ-45) ports	1
Wake-on-LAN	✔
Certification	TÜV Rheinland Eye Comfort 3.0

Brand-specific features

Dell Display Manager (DDM) compatibility	✔

5397184962503

0884116487531

884116487531

Catalog Object Cloud