



DELL P Series P2425HE computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: P Series

Product code: DELL-P2425HE

Product name : P2425HE

- 61.0cm (24") Full HD 1920 x 1080 LED IPS

- 8ms, 16:9, 250cd/m², 1500:1

- USB, HDMI, DisplayPort

61.0cm (24") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m², 16.7M, 8ms, 178°/178°, 1500:1

DELL P Series P2425HE computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD Black:

Connect to productivity. Certified by TÜV for 4-star eye comfort, this FHD hub monitor offers enhanced visual comfort and offers up to 90W of power delivery.

DELL P Series P2425HE. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type:

Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle,

horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1).

VESA mounting, Height adjustment. Product colour: Black



| Display | | Ergonomics | |
|--------------------------------|---|---|---------------|
| Display diagonal * | 61 cm (24") | Pivot angle | -90 - 90° |
| Display resolution * | 1920 x 1080 pixels | Swivelling | ✓ |
| HD type * | Full HD | Swivel angle range | -45 - 45° |
| Native aspect ratio * | 16:9 | Tilt adjustment | ✓ |
| Display technology * | LCD | Tilt angle range | -5 - 21° |
| Panel type * | IPS | On Screen Display (OSD) | ✓ |
| LED backlight | ✓ | Plug and Play | ✓ |
| Backlight type | LED | LED indicators | ✓ |
| Touchscreen * | ✗ | Power | |
| Display brightness (typical) | 250 cd/m ² | Energy efficiency class (SDR) * | D |
| Response time * | 8 ms | Energy efficiency class (HDR) * | Not available |
| Anti-glare screen | ✓ | Energy consumption (SDR) per 1000 hours * | 14 kWh |
| Screen shape * | Flat | Power consumption (typical) * | 13.9 W |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080) | Power consumption (standby) * | 0.3 W |
| | | Power consumption (max) | 180 W |
| Supported video modes | 480p, 576p, 720p, 1080p | Power consumption (off) | 0.3 W |
| Contrast ratio (typical) * | 1500:1 | AC input voltage | 100 - 240 V |
| Maximum refresh rate * | 100 Hz | AC input frequency | 50/60 Hz |
| Viewing angle, horizontal | 178° | Input current | 2 A |
| Viewing angle, vertical | 178° | Power supply type | Internal |
| Display number of colours * | 16.7 million colours | Energy efficiency scale | A to G |
| Response time (fast) | 5 ms | European Product Registry for Energy Labelling (EPREL) code | 1865677 |
| Pixel pitch | 0.2745 x 0.2745 mm | Operational conditions | |
| Pixel density | 92.53 ppi | Operating temperature (T-T) | 0 - 40 °C |
| Horizontal scan range | 30 - 110 kHz | Storage temperature (T-T) | -20 - 60 °C |
| Vertical scan range | 48 - 100 Hz | Operating relative humidity (H-H) | 10 - 80% |
| Viewable size, horizontal | 52.7 cm | Storage relative humidity (H-H) | 5 - 90% |

| Display | | Operational conditions | |
|--|-----------------------|--|---------------------------|
| Viewable size, vertical | 29.6 cm | Operating altitude | 0 - 5000 m |
| Viewable size diagonal | 60.5 cm | Non-operating altitude | 0 - 12192 m |
| Surface hardness | 3H | Weight & dimensions | |
| sRGB coverage (typical) | 99% | Width (with stand) | 538.6 mm |
| Dell ComfortView technology | ✓ | Depth (with stand) | 181.8 mm |
| Performance | | Height (with stand) | 364 mm |
| NVIDIA G-SYNC * | ✗ | Weight (with stand) | 5.18 kg |
| AMD FreeSync * | ✗ | Width (without stand) | 538.6 mm |
| Flicker-free technology | ✓ | Depth (without stand) | 50 mm |
| Low Blue Light technology | ✓ | Height (without stand) | 314.2 mm |
| Windows operating systems supported | Windows 10, Yes | Weight (without stand) | 3.69 kg |
| Mac operating systems supported | MacOS | Bezel width (side) | 5.8 mm |
| Multimedia | | Bezel width (top) | 5.8 mm |
| Built-in speaker(s) * | ✗ | Bezel width (bottom) | 1.2 cm |
| Built-in camera * | ✗ | Packaging data | |
| Design | | Package weight | 7.24 kg |
| Product colour * | Black | USB cable length | 1 m |
| Front bezel colour | Black | Packaging content | |
| Feet colour | Grey | Stand included | ✓ |
| Ports & interfaces | | Cables included | DisplayPort, USB Type-C |
| Built-in USB hub * | ✓ | Quick start guide | ✓ |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | DisplayPort cable length | 1.8 m |
| Number of USB Type-C upstream ports quantity | 1 | Sustainability | |
| USB Type-A downstream ports quantity | 3 | Sustainability compliance | ✓ |
| USB Type-C downstream ports quantity | 1 | Sustainability certificates | TCO, ENERGY STAR |
| USB Type-C DisplayPort Alternate Mode | ✓ | Doesn't contain | Arsenic, Mercury, PVC/BFR |
| USB Power Delivery | ✓ | Carbon footprint | |
| USB Power Delivery up to | 90 W | Total carbon footprint (kg of CO2e) | 168 |
| HDMI * | ✓ | Carbon emissions, manufacturing (kg of CO2e) | 85 |
| HDMI ports quantity | 1 | Carbon emissions, logistics (kg of CO2e) | 12 |
| HDMI version | 1.4 | Carbon emissions, energy usage (kg of CO2e) | 68 |
| DisplayPorts quantity | 2 | Carbon emissions, end-of-life (kg of CO2e) | 3 |
| DisplayPort version | 1.4 | Total carbon emissions, w/o use phase (kg of CO2e) | 100 |
| Headphone out * | ✗ | PAIA version | GaBi version1 |
| HDCP | ✓ | Other features | |
| HDCP version | 1.4 | RJ-45 ports quantity | 1 |
| AC (power) in | ✓ | Compliance certificates | TÜV mark, RoHS |
| Ergonomics | | Brand-specific features | |
| VESA mounting * | ✓ | Dell Display Manager (DDM) compatibility | ✓ |
| Panel mounting interface | 100 x 100 mm | | |
| Cable management | ✓ | | |
| Cable lock slot * | ✓ | | |
| Cable lock slot type | Kensington | | |
| Height adjustment * | ✓ | | |
| Height adjustment | 15 cm | | |
| Pivot | ✓ | | |



5397184821725



5715063427323



5715063427293

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-NOV-2024. Prints or copies of Information are only valid on the printed Publication date