

MPN: PROKEYHDMIFM3B

# Pro Keystone Black HDMI Female to HDMI Male 3m

High Performance and High Speed HDMI 2.0 18Gbit Cable with Ethernet.

Supports Resolutions up to 4K@60Hz with HDCP 2.2, CEC and ARC

#### Ultra flexible.

- All HDMI resolutions up to 4K (4096x2160p @60Hz), including 3D video
- Support sample rate 4:4:4
- High Dynamic Range (HDR)
- Transfer speed 18 Gbit/s
- HDCP 2.2
- Supports Deep Color, up to 16-bits per channel, including x.v.Color standard
- Supports the 21:9 cinema aspect ratio
- Supports SA-CD, DVD-Audio, DTS-HD Master Audio, Dolby TrueHD, and other highde inition audio standards
- Audio Return Channel
- Auto Lip Sync
- Supports up to 32 audio channels and a 1536 kHz audio sampling rate
- Dynamic sound synchronization
- Supports extended CEC (Consumer Electronics Control) commands and functions
- the HDMI Ethernet Channel, and the Audio Return Channel features
- Fully assembled with 19 pins connected
- High quality HDMI A connector, 15um gold min. in contact area for high reliability
- and professional use
- 99,9% pure copper wires for lossless picture transmission
- Triple shielded cable and extra shielding in the connector
- High Flexibility ensuring small bending radius

## **Specifications**

### **Features**

3D	Yes
Audio Return Channel (ARC)	Yes
AWG wire size	28
Cable jacket material	Polyvinyl chloride (PVC)
Cable length	3 m
Cable material	Copper
Colour depth	16 bit
Connector 1	HDMI Type A (Standard)
Connector 1 form factor	Straight
Connector 1 gender	Female
Connector 2	HDMI Type A (Standard)





Features	Connector 2 form factor	Straight
	Connector 2 gender	Male
	Connector contacts plating	Gold
	Data transfer rate	18 Gbit/s
	Dolby technologies	DTS-HD Master Audio
	HDCP	Yes
	HDCP version	2.2
	HDMI Ethernet channel	Yes
	HDMI version	2.0
	High Dynamic Range (HDR) supported	Yes
	High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
	High Dynamic Range 10 (HDR10)	Yes
	Maximum refresh rate	60 Hz
	Maximum resolution	4096 x 2160 pixels
	Plug and Play	Yes
	Product colour	Black
	Pull-off force	2 kg
	Quantity per pack	1 pc(s)
	RoHS compliance	Yes
	Supported graphics resolutions	4096 x 2160
	Supported video modes	2160p
Operational conditions	Operating temperature (T-T)	-20 - 60 °C
Other features	Cable colour	Black

Vivolink 99 Year(s)

7.3 mm

**Brand Name** 

Cable diameter

Warranty

Vendor information

Weight & dimensions



## Other products in this series

Cable length	Black	White
1.0	PROKEYHDMIFMIB	PROKEYHDMIFMIW
2.0	PROKEYHDMIFM2B	PROKEYHDMIFM2W
3.0	PROKEYHDMIFM3B	PROKEYHDMIFM3W
5.0	PROKEYHDMIFM5B	PROKEYHDMIFM5W