

MPN: VL120015

## **HDMI HDCP Converter**

Vivolink HDMI HDCP Convert 2.2 to 1.4

The VL120015 is an ultra-thin HDMI signal manager. It is designed to enhance the compatibility between HDMI sources and displays to match more display device. The transmission of 4k×2k@60Hz (max) signal from source to display is up to 15m. Beside straight-through HDMI transmission, the EDID bypass function ensures the best resolution of displays. The unit can be powered by HDMI source or with external power supply via Micro-USB.



Simple installation and operation.

- Input supports HDCP2.2
- Supports EDID bypass and auto input resolution detection, make sure the best resolution of display device
- The transmission of 4k@60Hz 4:4:4 signal from source to display is up to 10m
- Degrade to HDCP1.4

## **Specifications**

Other features	Converter type	Active video converter
	Dimensions (WxDxH)	45,5mm x 75mm x 12 mm
	Extended display identification data (EDID)	Yes
	Housing material	Metal
	LED indicators	Power
	Maximum resolution	4k@60Hz Pixels
	Plug and Play	Yes
	Product colour	Black
	Reclocking	Yes
	Туре	HDCP converter 2.2 to 1.2
Package dimensions (verified)	Depth Verified	6.3 cm
	Gross Weight Verified	0.122 kg
	Height Verified	3.3 cm
	Width Verified	8.8 cm
Packaging data	AC adapter included	Yes
	Quantity	1
Ports & interfaces	DC-in jack	Yes
	Output interface	HDMI
	Video in	HDMI
	Video out	HDMI
Power	External power adapter	Yes
	Input voltage	110 - 230 V
Product dimensions	Net Weight (Product, kg)	0.05 kg



Product dimensions	Product Depth	6.3 cm
	Product Height	3.3 cm
	Product Width	8.8 cm
Vendor information	Brand Name	Vivolink
	Brand Name	VIVOIITIK
	Warranty	3 Year(s)
Video	HDCP	Yes



## Other images





