

MPN: VLSC262

4K 6x1 Presentation Switcher

4x HDMI 1x DisplayPort 1xUSB-C Out HDBaseT + HDMI and Audio out for active speakers

Typical installation:

- <bullet>4K Seamless presentation switcher</bullet>
- <bullet>Ideal for meeting rooms where different signal sources should be supported</bullet>
- <bullet></bullet>

Function:

- <bullet>True seamless switching</bullet>
- <bullet>6 input 2 output HDBaseT and HDMI mirror</bullet>
- <bullet>HDBT output transmission up to 40m@4K and 70m@1080p</bullet>
- <bullet>Inputs includes 4 HDMI, 1 DP, 1 USB-C (USB-C and DP is optional with 2 HDMI)</bullet>
- <bullet>USB-C can provide 60W power charging</bullet>
- <bullet>Supports HDMI1.4, HDCP2.2</bullet>
- <bullet>Resolution up to 4Kx2k/30Hz/4:4:4 with seamless switching</bullet>
- <bullet>Mic/Line input and balance/digital audio breakout</bullet>
- <bullet>Audio delay function via front panel</bullet>
- <bullet>Manual/auto display control</bullet>
- <bullet>IR, RS232 and GUI control.</bullet></bullet>

- 4K Seamless presentation switcher
- Multi screen mode
- Scales and switches any video signal to HDMI and HDBT outputs
- RS232 control



Specifications

Certificates	Certification	HDBaseT
Features	Control type	Buttons, Rotary
	Housing material	Metal
	LED indicators	Power, Status, Switch
	Product colour	Black
Package dimensions (verified)	Depth Verified	26.9 cm
	Gross Weight Verified	2.864 kg
	Height Verified	14.2 cm
	Width Verified	29.7 cm
Ports & interfaces	Audio input	Yes
	Audio output	Yes
	HDMI in	4
	Number of HDMI outputs	1
	Remote control interface	Yes
	RJ-45 ports quantity	2
	RS-232 input ports	1

Power	AC adapter input voltage	110 - 230v V
Product dimensions	Net Weight (Product, kg)	1.6 kg
	Product Depth	20 cm
	Product Height	4.4 cm
	Product Width	25 cm
Vendor information	Brand Name	Vivolink
	Warranty	3 Year(s)
Video	HDCP version	1.4/2.2

Recommended accessories



**Vivolink HDMI Extender slim 4K with IR +
RS-232 control, Receiver, 70m**
MPN: VL120016R