

MPN: VLUSBCEXT-WIRELESS

4K@60Hz USB-C wireless extender

This is a 4K@60Hz wireless extender, including a transmitter and a receiver. USB-C transmitter is powered from USB-C port. HDMI receiver need power from an USB-A port on display/projector

Power cable (USB-A to Micro USB) is included in the package.

- Supports up to 3840x2160@60Hz backward compatible
- Maximum transmission distance 20m (line of sight)
- Operate on 5G wireless frequency band and is WPA2 encrypted
- Support firmware upgrade via Micro USB port
- Portable design, plug and play



Specifications

| Features | HDCP & EDID bypass | Yes |
|------------------------|---------------------------------------|-------------------|
| | HDCP pass-through | Yes |
| | HDCP version | 2.2 |
| | LED indicators | Yes |
| | Maximum resolution | 3840x2160 Pixels |
| | Maximum transfer distance | 20 m |
| | Product colour | Black |
| | Supported video modes | 3840p |
| | Туре | Wireless extender |
| Operational conditions | Operating relative humidity (H-H) | 10 - 90 % |
| | Operating temperature (T-T) | 0 - 60 °C |
| Package dimensions | Depth (package,cm) | 11.9 cm |
| | Gross Weight (Package, kg) | 0.32 kg |
| | Height (package,cm) | 8 cm |
| | Width (package,cm) | 15.3 cm |
| Ports & interfaces | Connectivity technology | Wireless |
| | DC-in jack | Yes |
| | HDMI in | 1 |
| | HDMI version | 2.0 |
| | Number of HDMI outputs | 1 |
| Power | Operating voltage (receiver) | 5 V |
| | Operating voltage (transmitter) | 5 V |
| | Power consumption (receiver) (max) | 3 Watt |
| | Power consumption (transmitter) (max) | 5 Watt |
| Product dimensions | Net Weight (Product, kg) | 0.318 kg |



| Product dimensions | Product Depth | 9.4 cm |
|--------------------|----------------|-----------|
| | Product Height | 2.37 cm |
| | Product Width | 9.68 cm |
| Technical details | Audio support | Yes |
| Vendor information | Brand Name | Vivolink |
| | Warranty | 3 Year(s) |



Other images



